

## INDEX

- Aborted take-off, 82, 96, 114  
 Accelerate stop distance, 81, 83–86, 93  
 Accelerometer, 170, 179  
 Access mode, 23, 346  
 Access road, 4, 256, 310, 351, 453, 497  
 Acetate, 456  
 ACN-PCN, 149, 163, 167  
 Adhesion, 177–178, 197, 199  
 Aerodrome category, 474–478, 480, 482  
 Aerodrome reference code, 15, 73–75, 95  
 Aeronautical study, 66, 68, 399  
 Air Waybill, 250  
 Airbridge, 130, 138, 223, 231, 267  
 Air-conditioning, 186, 190, 195  
 Aircraft accident, 17, 325, 490, 494, 497, 506  
 Aircraft kerosene, 211, 214, 217, 229  
 Aircraft performance, 85, 90, 528  
 Aircraft refuelling, 189, 192, 211, 216, 221–223, 229, 232  
 Airport access, 45, 48, 344–345, 355, 359  
 Airport perimeter, 321, 323, 493  
 All Weather Operation Panel, 14, 374  
 ALPA ATA, 384, 388  
 Amsterdam, 7–8, 35, 134, 193, 279, 321, 362, 495, 539  
 Anchorage, 239–240  
 Anti-icing, 453, 456, 461–462, 468  
 Approach speed, 75, 95, 118, 374, 532–534  
 Approach surface, 63–64, 66  
 Apron accidents, 187  
 Arresting system, 107, 109  
 Arrestor bed, 109–111  
 A-SMGCS, 61, 202, 404, 421, 437, 494  
 Asphalt concrete, 148  
 Asphalt pavement, 97, 127, 150–151, 457  
 Atlanta, 8, 132–133, 269, 300–301  
 Automatic Ticket and Boarding (ATB), 288  
 Auxiliary Power Unit, 186, 195, 534  
 Background check, 239, 326  
 Baggage handling, 203, 270, 273, 288, 295–296, 490  
 Baggage reconciliation, 296, 329  
 Balanced field length, 75, 86  
 Bearing strength, 98, 113, 126, 145, 147–149, 151, 157, 160, 163, 494  
 Beijing, 4, 8, 10, 189–190, 224  
 Belly hold, 24, 234, 242, 254  
 Berlin, 2, 7, 203  
 Biodiversity, 231, 506  
 Biometric, 280, 290, 325–326, 328, 331  
 Bird  
   catching, 552  
   dispersal, 548  
   food, 547  
   indigenous, 544  
   management, 544  
   migratory, 545  
   nest, 547  
   of prey, 547, 549, 552  
   scaring, 549  
   transient, 544  
 Bird strike, 541, 543–544, 553

- Bird Strike Information System, 22, 543
- Birmingham, 300, 357, 499
- Blast fence, 129, 142
- Block paving, 127, 159
- Bomb, 6, 307, 311, 319, 321, 339, 494
- Brake-away thrust, 138, 140
- Braking action, 48, 96, 145, 168, 176, 179–180, 453, 459
- Braking distance, 83, 118, 196
- Brussels, 30, 132, 202–203, 240, 258, 357
- Bus, 134, 257, 274, 311, 345, 355–356, 361
  
- Carbon dioxide, 456, 478–479, 504–505, 533
- Carousel, 284–285, 296
- Carrier
  - combination, 237–239
  - integrated, 42, 237, 241, 255, 257
  - legacy, 235–236, 270, 275
  - low-cost, xxiii, 5, 9–10, 24, 34, 37, 40, 43, 185, 193, 236, 270, 287, 344, 350, 356
  - scheduled, 271
  - traditional, 263, 344, 350
- Catchment area, xxiii, 20, 47, 240, 298, 343, 347, 358, 362, 503
- Category I, 51, 55, 57, 61, 63, 372, 379, 384, 387–388, 391, 401–402, 405, 411, 435
- Category II, 51, 53, 57–58, 64, 379, 388, 391, 401, 406
- Category III, 55, 57, 60, 259, 379, 391, 422, 430
- CBR, 104, 149, 165, 167
- CCTV, 250–251, 259, 315, 325
- Cement concrete, 97, 148, 151
- Charles de Gaulle, 10, 47, 132, 202, 219, 269, 354, 547
- Check-in, 263, 267, 280
  - common, 287
  - counter, 263, 274, 288, 297
  - curb, 289
  - flight, 287
  - internet, 278, 287, 304
  - kiosk, 303
  - mobile, 287, 304
- China, 7, 10, 44, 240
- Clearway, 86, 90, 93, 106
- Coach, 290, 344, 349–350, 356–357
- Coefficient of longitudinal friction, 174–176
- Complementary agent, 475, 477, 480, 482
- Composite, 148, 167, 189, 233, 332, 469, 472, 543
- Compressed air, 189, 408, 498
- Constant current regulator, 387, 391, 399, 401–403, 418, 420–422
- Continuous Descent Approach, 213, 258, 530, 532
- Convention
  - Hague, 312
  - Montreal, 312–313
  - Tokyo, 312
- Conveyor, 196, 242, 245–247, 255–256, 265, 276, 279, 284, 296, 336
- Corrosion, 214, 220, 379, 391, 453, 461, 470, 475
- Critical aircraft, 75, 78, 82, 110, 156, 167, 474
- Critical and sensitive areas, 60, 122, 428
- Critical area, 391, 428, 475, 479, 546
- Critical engine, 84
- Crosswind, 1, 3, 48, 54, 531
- Cul-de-sacs, 134–135, 535
- Customs, 24, 236, 247, 250, 253, 257, 259, 262, 283, 286, 288, 290, 327, 543
- Cut-off angle, 58
  
- Dallas-Fort Worth, 8, 270
- De/anti-icing, 443, 468
- Dead Man, 222, 229
- Deceleration, 104–105, 111, 118–119, 279
- Decision height, 55, 428
- Decision speed, 82, 84, 106
- De-icing, 453, 461

- De-icing fluid, 405, 454, 456, 461–462, 467, 470, 537
- Delay, 7, 24, 61, 70, 128, 142, 185, 187, 200, 243, 258, 272, 281, 298, 343, 364, 397, 435, 524, 549
- Denver, 8, 269, 300
- Deregulation, 5–6, 27, 41, 43
- Diesel generator, 410, 412, 414–415
- Disability, 274, 293
- Disabled persons, 293–294
- Dispenser, 220, 222–223, 230
- Distribution system
  - central, 195
  - hydrant, 222
  - parallel, 416
  - serial, 387, 416–417
- Dogs, 294, 332, 337–339, 552
- Doorsill height, 192
- Door-to-door, 30, 236, 343, 350, 353
- Dowel bar, 154–155
- Dowels, 154
- Drainage, 99, 105, 147, 154, 169, 172, 175, 177, 226, 243
- Drop off, 240, 275, 352, 354
- Dubai, 4, 8, 215, 224, 240, 246
- Dust, 215, 405, 473, 546
- Dwell time, 244, 254, 273–274, 297, 349–350
- Dynamometer, 175
  
- EASA, 17, 55, 57, 79, 92, 315
- East Midlands Airport, 111, 258, 357, 524
- ECAC, 18, 200, 323, 503, 528, 530
- Elasticity, 27–28, 29
- EMAS, xxiii, 107, 109–110
- Emergency landing, 320, 493–494, 496
- Emissions, 189, 196, 229, 231, 337–338, 361, 504–505, 533–535
- Engine failure, 82, 84, 92, 96, 107
- Engineered Material Arresting System, 109
- Environmental impact, 5, 19, 45, 343, 346, 361, 457, 504
- Environmental protection, 468–469, 499, 503
- Explosive Detection System, 336
- Explosives, 6, 251, 307, 310, 319, 330–331, 335, 337
- Extinguishing agent, 229, 472–473, 475, 477–478, 480, 482, 499
  - complementary, 478
  - principal, 475, 477, 480
  
- Falconry, 549, 552
- False alarms, 323–324
- Feasibility
  - economic, 21
  - financial, 20, 23
  - technical, 23, 457
- Fence, 231, 324, 552
- Fencing, 60, 231, 251, 322–323
  - electric, 552
- Filter
  - blue, 390
  - clay, 214, 219
  - colour, 389, 391
  - double-stage, 217
  - fine, 217
  - fuel, 215
  - glass, 390
  - micro, 214
  - red, 394
  - security, 318
  - yellow, 390
- Final approach and take-off area, 64, 397
- Fixed ground systems, 186–187, 189
- Flywheel, 413–414
- Foam blanket, 494–496
- Foam concentrate, 475, 480
- Forecast, 23, 34–35, 37–38, 42
  - air traffic, 38
  - alternative, 459
  - demand, 20, 39
  - long-term, 24–25, 46
  - market, 20
  - meteorological, 444
  - national, 27

- rail, 34
  - regional, 44
  - short term, 24
  - traffic, 46
- Fork lift, 245, 247, 259
- Formate, 456–457
- Frangibility, 373, 379, 384
- Frankfurt, 8, 134, 136, 203, 233, 263, 344, 520
- Free water, 215, 217
- Freezing rain, 461, 465–466
- Fuel consumption, 113, 211, 504
- Fuel escapes, 226–227
- Fuel farm, 4, 231–232, 340
- Fuel hydrant, 186, 223
- Fuel stores, 211, 217–218, 226, 536
  
- Gas analyser, 331–332, 337–338
- Gatwick, 7, 32, 34, 71, 218, 270, 300, 344, 357, 360, 364, 532
- Gatwick Express, 358, 360
- Gibb's phase rule, 454
- Global warming, 232, 505, 533
- Glycol, 456–457, 461–462, 469, 537
  - collection, 537
  - diethylene, 457
  - ethylene, 337, 457
  - pollution, 537
- Glycol collection, 537
- Gradient, 100
  - climb, 84, 92
  - gross, 91
  - minimum, 91, 216
  - net, 91
  - temperature, 152
- Grass carpet, 147–148
- Gravel, 104–105, 147, 150–151, 173, 500
- Grooving, 99, 169–170
- Ground water, 468, 504–505, 535, 546
  
- Habitat, 538, 546, 548
- HAPI, 397–398
- Heathrow, 4, 8, 10, 12, 120, 132, 219, 261, 269, 271, 282, 351, 493
- Hijack, 305–308, 311–312, 333
- Hold baggage, 295, 316–317, 330
- Holdover time, 461, 463, 465–466
- Hong Kong, 4, 8, 10, 120, 218, 240, 259, 276, 344, 364
- Hub airports, 4, 298, 353, 356
- Hub and spoke, 10, 72, 269, 344, 357
- Hydrant system, 221–222, 224–225, 228
- Hydrogen, 214, 232
- Hygroscopic, 215, 444, 464
  
- Immigration, 24, 247, 262, 274, 283, 289, 315
- Impurities, 215, 217
- Income, 23, 27, 29, 36–37, 331, 503
- Infrared, 309, 324, 440
- Instrument Flight Rules, 71, 423
- Instrument Landing System, 60, 103, 424, 532
- Investment, 36, 40, 43, 45, 57, 113, 147, 186, 197, 224, 281, 303, 409, 459
- Isolation transformer, 390, 417–420
  
- Jet A1, 211, 214–215, 218
- Jet blast, 75, 125, 132, 137, 382, 391
- Joints, 151–155, 159
  - construction, 154
  - contraction, 153–154
  - expansion, 153
  - isolation, 154
  - longitudinal, 154
  
- Kansai, 4, 113, 263
- Kerb, 262, 268–269, 274–275, 291, 352–353, 355
- Kerosene, 4, 127, 216, 226, 231–232, 499
- Kuala Lumpur, 270, 300, 309, 358
  
- Land use and compatibility planning, 504, 507, 520, 522
- Leipzig, 240, 258, 279
- Level of service, 69, 262, 272, 275, 280, 365

- Liberalisation, 6, 9, 34
- Light
  - approach, 111, 378, 380, 385, 391, 397, 399, 537
  - inset, 375–377, 381, 389, 404, 407, 421, 449
  - LED, 376, 401, 535
  - obstacle, 376, 399–400
- Load factor, 24, 37–39, 44, 213, 271, 283, 295
- Loading bridge, 132, 137–138, 140, 204, 223, 242, 267, 535
- Localiser, 57, 108, 111, 425
- Lockerbie, 6, 307, 328, 489
- Long haul, 9, 62, 195, 221, 237, 269, 343, 349
- Longitudinal friction, 146, 172, 174, 176
- Longitudinal slope, 81, 99–101
- LOS, 272–273, 276, 279, 283, 285
- Los Angeles, 8, 131, 498
- Loudness, 507, 509–510
- Low Visibility
  - conditions, 64
  - operations, 60
  - procedures, 56, 103
  - take-off, 57
- Luton, 34, 159, 286, 352
  
- Macro-texture, 170, 172–174
- Madrid, 10, 111, 203, 301, 357, 360, 443
- Mammals, 541, 552
- Manchester, 10, 30, 111, 227, 357, 536
- Manoeuvring areas, 4, 70, 148, 447
- Markings, 56, 113, 292, 367, 369–370, 374, 400
- Marshaller, 137, 204
- Master plan, 18–19, 46, 114, 243
- Master planning, 16, 23, 42, 45, 243
- Maximum take-off mass, 77, 81, 114, 165, 513
- Meeters and greeters, 23, 348, 364, 489
- Metal detector, 306, 308, 332
- Method
  - ACN-PCN, 163, 165
  - bio-acoustic, 550
  - dual mass, 168
  - Durst, 50, 55
  - dynamometer, 175
  - judgemental, 35
  - leak-detection, 228
  - one-step, 468
  - predictive, 516, 522, 530
  - quantitative, 35
  - sand, 175
  - scaring, 549
  - step-down, 27
  - three segment, 119
  - transparency, 49
- Metro, 290, 360–361, 363
- Micro-organisms, 214, 217
- Micro-texture, 172, 174–175, 176
- Middle East, 9–10, 44, 72, 307, 354
- Milan Linate, 131, 133
- Milan Malpensa, 10, 203
- Missed approach, 55, 103, 533
- Missile, 309
- Mobile lounge, 131, 133, 144, 192, 300
- Mobile stairs, 191–193
- Model
  - 3D, 206
  - aircraft, 551
  - Airfield Capacity, 70
  - behaviour, 30
  - calibration, 34
  - Collision Risk, 66
  - disaggregate, 33
  - distribution, 30
  - econometric, 29, 34, 36, 43
  - FAA, 272
  - IATA, 272
  - Integrated Noise, 526
  - logit, 32
  - macro, 37
  - modal choice, 30
  - simulation, 69
- Modes of transport, 246, 315, 344, 346–347, 355
- Monitoring system, 231–232, 402, 408, 420–421, 424, 459, 520

- Munich, 4, 7, 9, 46, 131–132, 203, 261, 357, 412, 422, 469, 537
- Nesting, 545, 548, 552
- No-break, 412–413, 415
- Noise
  - abatement, 530–531
  - aircraft, 512
  - airport, 510
  - attenuation, 527
  - background, 521
  - complains, 514
  - continuous monitoring, 520
  - contours, 514
  - control, 508
  - descriptors, 512
  - emissions, 527
  - energy, 511
  - evaluation, 514–515
  - external, 504
  - impact, 45
  - indices, 507
  - insulation, 531
  - intensity, 507
  - limits, 518, 520–521
  - long-term monitoring, 522
  - maximum, 507
  - mitigation, 530
  - monitoring, 506, 513, 523–524
  - night, 519
  - nuisance, 364
  - peaks, 515
  - percieved, 510, 513
  - prediction, 528
  - protection wall, 531
  - rating, 508
  - reduction, 507
  - strategic maps, 529
  - transport, 512–513, 516
  - zones, 519, 521
- Nose-in, 129, 134, 136–137, 139, 197, 207
- Nosewheel, 123, 206, 209
- Obstacle clearance, 48, 59, 75, 90–91, 397, 399
- Obstacle limitation surfaces, 62–65
- One engine inoperative, 82–83, 85–86, 92
- Operational towing, 197, 199
- Oslo, 10, 203, 269, 357, 360
- Outside air temperature, 81, 88, 91, 114
- Overrun, 106–107, 109
- Ozone layer, 478, 499, 505
- PAPI, 393–395, 403, 421
- Passenger bridge, 186, 190–193
- Payload, 77–78, 235–236
- Peak hour, 7, 24, 42, 44, 54, 72, 114, 117, 128, 142, 269, 273, 302, 331
- People mover, 133, 268–269, 299–301
- Performance, 110
  - aircraft, xxiii, 74, 80, 463, 528
  - approach, 431
  - average, 80
  - battery, 415
  - characteristics, 82
  - class A aircraft, 80
  - class B aircraft, 81
  - class C aircraft, 81
  - extinguishing agent, 475
  - flight, 441
  - foam, 475
  - gross, 80
  - helicopter, 397
  - ILS, 426
  - landing, 89, 119
  - level A, 476–477, 480
  - level B, 476–477
  - level C, 476–477, 480
  - limitations, 88
  - measured, 80
  - navigation, 430
  - net, 80
  - radar, 219
  - runway, 80
  - snow blower, 449, 451
  - take-off, 86
  - wayfinding, 292

- Planning horizon, 45–47
- Plastic explosives, 313, 330, 337, 339
- Precision approach runway, 55, 63, 96, 100, 103, 375, 382, 404–405
- Propensity to fly, 26, 37–38
- Protective fluids, 462, 464, 467
- Protein foam, 475–476, 494
- Push-back, 135, 137–138, 139
  
- QR code, 296, 329
  
- Radius
  - of curvature, 101
  - of relative stiffness, 157, 160
  - relative stiffness, 157
  - rolling, 178
  - static, 178
  - turning, 137–138, 243, 279
  - turn-off, 116
- Rail
  - access, 258, 357, 359, 361
  - air connection, 240
  - conventional, 362
  - dedicated, 357–358, 360
  - deliveries, 218
  - elevated, 362
  - forecast, 34
  - heavy, 290, 360–361
  - high speed, 30, 358, 360–361
  - integrated, 246, 257
  - light, 357
  - link, 360
  - maintenance, 217
  - municipal, 356
  - performance, 34
  - services, 26, 356, 358, 362
  - share, 30
  - station, 30, 300, 345, 361
  - transport, 346, 357–359
- Railway, 125, 215, 218, 345, 360, 363
- Railway station, 301, 345, 360
- Recycling, 469, 499, 537–539
- Reference field length, 48, 75
- Refinery, 214, 216–217
- Relative slippage, 178
- Reliability, 38, 134, 299, 301, 322, 330, 347, 349, 365, 374, 431, 439
- RESA, xxiii, 107, 109, 112, 425
- Response time, 473, 482, 487
- Reverse thrust, 79, 89, 530–531
- RFFS, 471, 473, 483, 486, 494
- RFID, 279, 329
- Rio Galleao, 131, 286
- Rotation speed, 84, 463
- Rubber deposits, 174, 405
- Runway
  - approach, 63
  - extension, 77
  - main, 3
  - non-instrument, 63
  - precision approach, 64
- Runway end safety area, 107–108, 111
- Runway End Safety Area, 425
- Runway length, 2, 77–79, 87, 98, 106, 368, 471
- Runway occupancy time, 70, 114
- Runway reference code number, 103
- Runway shoulders, 97, 105–106
- Runway strip, 58, 93, 95, 103–104, 106, 109, 147, 378
- Runway system, 3, 7, 10, 45, 48, 50, 69–70, 127, 149, 391, 487
- Runway visual range, 54–55, 388, 402
  
- Sabotage, 306–307, 311–312, 328
- SAMs, 308–309
- San Francisco, 201, 361
- Schengen, 264, 267–268, 286, 326
- Schiphol, 36, 193, 321, 359, 378, 539
- Seattle, 246, 301
- Security, xxiii, 52, 60, 135, 203, 231, 233, 239, 246, 251, 256, 262, 264, 266, 270, 275, 281–283, 288, 354, 360, 365
  - centralised, 318
  - decentralised, 318
- Security management system, 315, 340
- Security restricted areas, 316–317
- Sedimentation, 216, 219, 536

- Self-manoeuvring, 129, 132, 137, 139–140
- Semtex, 335, 337
- Seoul, 10, 239
- Services
  - aeronautical, 266, 297
  - non-aeronautical, 3, 19, 297
- Shanghai, 10, 240, 261, 364
- Shannon, 218, 281
- Shipper, 34, 233, 237–238, 244, 246–247, 259
- Short-break, 410, 412–413, 415
- Signs, 4, 105, 168, 292, 326, 353, 372, 375, 404, 437
- Singapore, 8, 254, 261, 270, 318, 487
- SITA, 249, 283, 295, 303–304
- Slipform paver, 152, 155
- Slippage, 178, 180
- Slush, 87, 89, 442, 444, 461
- Smart phone, 302, 355, 524
- Snow blower, 111, 447, 450, 452
- Snow removal, 111, 124, 442, 444, 450, 452
- Soekarno-Hatta, 8
- Sound exposure level, 511–513, 515, 517, 526, 528
- Sound pressure, 508, 511–513, 529
- Spilled fuel, 227, 472, 477, 495
- Standard of living, 46, 346, 350, 503
- Standards, 9, 14–15, 63, 80, 122, 168, 220, 266, 320, 536
- Standards and Recommended Practices, 15, 17, 64, 314
- Stansted, 34, 218, 258, 270, 276, 290, 532
- Static electricity, 219, 229
- Stockholm, 72, 205, 224, 357, 469, 493
- Stopway, 79, 86, 90, 93, 95, 106
- Storage tanks, 215–216, 218, 220–221, 223, 227, 230
- Subgrade, 149–150, 152, 155, 157, 163, 167, 169
- Suicide bomber, 311, 329
- Surveillance, 57, 202, 315, 324, 424, 435–437
- Tactile check, 468
- Take-off and landing, 69, 96, 533, 553
- Take-off climb, 63–64, 67–68, 84, 91
- Take-off distance, 81, 83, 85–86, 90, 92–93, 106
- Take-off length, 83, 87, 89
- Take-off run, 86, 93, 368, 441, 544
- Taxi, 353, 355
- Taxi out, 127, 136, 138
- Taxilane, 121, 129, 137
- Taxiway width, 113, 123
- Technical handling, 132, 185, 268
- Teleconferencing, 25, 31
- Terminal
  - access, 203, 348, 353
  - airport, 263
  - automated, 254
  - building, 4, 6, 127, 130, 132, 136, 139, 142, 204, 264–265, 350
  - capacity, 69, 271, 286, 349
  - cargo, 18, 24, 128, 243, 251–252
  - central, 132, 135, 300
  - centralised, 269–270
  - charter, 273
  - concept, 267, 269
  - connection, 265
  - decentralised, 269
  - domestic, 273
  - facilities, 3
  - freight, 242–243
  - frontage, 132–133, 300
  - fuel, 217
  - layout, 267
  - life cycle, 271
  - low-cost, 278, 304
  - manual, 254
  - midfield, 133
  - multi-level, 257
  - multiple, 268
  - operation, 349
  - passenger, 4, 9, 24, 243, 261, 487
  - remote, 300
  - satellite, 290
  - simulation, 275
  - single level, 275



- traditional, 270
- transportation, 299
- two level, 268
- wayfinding, 290
- Terrorism, 5, 38, 251, 307, 312, 325
- Thickened fluid, 462, 467
- Threat, 37, 128, 251, 306–308, 312, 314, 317, 322, 336, 340, 494, 544
- Time horizon, 23, 34, 46, 149, 271, 364
- Tokyo, 8, 31, 239, 344, 498
- Tokyo Convention, 311
- Topsoil, 105, 147
- Touch-down, 96, 116, 174, 377, 389, 496
- Towbar, 197, 199
- Towbarless, 139, 198–199
- TPHP, 271–273, 275
- Transport
  - private, 347
  - public, 345, 355, 357
  - rail, 345, 357
  - surface, 348, 353
- Turf, 97, 105, 147
- Turnround, 24, 128, 189, 193, 195, 202, 211–222, 236, 259, 299
- Two-step procedure, 463, 467
- Type I, 461, 468
- Type II, 462, 467–468, 537
- Type IV, 463–464, 537
- Typical peak hour, 48, 271
- Tyre pressure, 161–162, 165, 167
- ULD, 244, 246, 254–255
- Ultimate capacity, 18, 45, 243
- Unlawful acts, 5, 305, 311–312
- Upper deck, 192–193, 283
- Urban areas, 45, 51, 109
- Urea, 453–454, 456–457, 478
- Usability factor, 48–49, 50, 54–55
- V1, 82, 84, 86, 91, 107
- Veering-off, 103–104
- Vehicle free apron, 186, 190
- Vienna, 7, 218, 268, 281, 307, 318, 357–358
- Washington Dulles, 131, 133, 269, 301
- Waste, 189, 281, 286, 455, 505, 537–539
- Wayfinding, 263, 266, 290, 292, 294, 304
- Wide body, 4, 39, 187, 215, 221, 233, 237–238, 285, 298
- X-ray, 251, 280, 288, 307, 310, 329–330, 333–337