

INDEX

- AARP Memory Activity Book, 122
- Active Minds US, 106
- Activities of daily living (ADLs), 3, 81
- Adult degenerative dementia, 9
- Adult programming
 - Caregiver Kits, 134
 - care team, 117
 - dementia-friendly staff, 137–139
 - fidget quilts, 136
 - games and technology, 132–133
 - informational benefits, 120
 - International Federation of Library Associations (IFLA), 118
 - library service, 118–119
 - library tours, 137
 - lifelong learning, 118, 119
 - meditation programs, 135–136
 - Memory Connection Centers, 134
 - memory garden, 135
 - mental and social stimulation, 118
 - mental stimulation, 128–130
 - movies and memory, 136
 - museum programs, 130–132
 - music programs, 128–130
 - nonpharmacological interventions, 117
 - pets and stuffed animals, 136–137
 - poetry, 125–128
 - reading programs, 125–128
 - sensory space, 134–135
 - social stimulation, 120–125
 - storytelling, 125–128
 - visual art, 130–131
- Agency for Healthcare Research and Quality, 76

- Aggressive behavior, 61–62
- Aging in Place, 83
- Alpha-synuclein, 9
- Alzheimer's Association of the United States, 78–79
- Alzheimer's dementia
- activities of daily living (ADLs), 3
 - “amyloid cascade” hypothesis, 11–12
 - caregivers, 33–36
 - causes of death, United States, 10, 11
 - cholinergic dysfunction, 12
 - cognitive degeneration, 12
 - cognitive impairment, 2–3
 - cognitive tests, 20
 - early-onset AD (EOAD), 8
 - environmental and lifestyle factors, 14
 - HIV/AIDS, 4
 - late-onset Alzheimer's dementia (LOAD), 8, 14
 - medical community, 3, 12, 27
 - memory care workers, 4–5
 - mild Alzheimer's dementia, 23–24
 - mild cognitive impairment (MCI), 4, 15–16, 22–23
 - mixed dementia, 8
 - moderate Alzheimer's dementia, 24–25
 - morbidity rates, 10
 - nonpharmacological interventions, 29–33
 - pharmacological treatments, 27–29
 - physical effects, brain, 4
 - plaques, 7
 - postmortem pathologic analysis, 6
 - preclinical dementia, 22
 - prevalence, 21–22
 - risk factors, 12–14, 26
 - scanning techniques, 21
 - senile dementia, 3
 - severe Alzheimer's dementia, 25–26
 - spectrum disorder, 21
 - sporadic, 8
 - tangles, 7
 - testing instruments, 20
 - warning signs, 16–19
 - western medicine, 3, 26
- Alzheimer's disease (AD). *See also* Alzheimer's dementia, 5–6
- Alzheimer's Disease International (ADI), 4, 13, 79
- Alzheimer's Society of Great Britain, 79
- American Association of Retired Persons (AARP), 82
- American Bar Association (ABA), 86

- “Amyloid cascade”
 - hypothesis, 11–12
 - Amyloid Precursor Protein
 - gene, 8
 - Anosognosia, 42, 75
 - Anxiety
 - and agitation, 60–61
 - and depression, 59
 - Beta-amyloid plaque, 7
 - Bi-Folkal Productions, 106
 - Bilingualism, 15, 32
 - Cardiovascular disease,
 - 14–15
 - Caregiver Kits, 134
 - Caring.com, 90
 - Central print reference
 - resources, 77–78
 - Certified Elder Law
 - Attorneys (CELA), 84–87
 - Cholinesterase inhibitor
 - drugs, 27–28
 - Cognitive impairment, 2–3, 124
 - Cognitive Stimulation
 - Therapy (CST), 31, 37, 91, 97, 103
 - Collection development
 - cognitive stimulation therapy, 103
 - dementia memoirs supplements, 110–113
 - fiction resources, 113–116
 - Health Professions Press, 103
 - illustrated books, 102
 - International Federation
 - of Library Associations and Institutions (IFLA), 94
 - library staff and
 - caregivers, nonfiction resources, 105–110
 - materials selection, 102–103
 - materials types, 94
 - memory-challenged
 - adults, 103
 - music-based therapies, 105
 - nonpharmacological
 - interventions, 93, 105
 - Pictures to Share, 103–104
 - principles, 97–101
 - reminiscence kits, 105–106
 - Shadowbox Press, 104
 - user-centered, 95–97
- Community Reference
 - Work, 67
 - “Consumer health”
 - information services, 75
 - Consumer-targeted health
 - information, 78
 - Creative expression, 141
 - Creutzfeldt–Jakob
 - disease, 9

- Dementia. *See also*
 Alzheimer's
 dementia
 causes of death, United
 States, 10, 11
 cultural heritage
 institutions, 1, 2
 definition, 5
 dementia with lewy
 bodies (DLB), 9
 frontotemporal, 9
 incidence, 10
 librarians, 1
 medical conditions, 9
 morbidity rates, 10
 museums, 1
 prevalence, 13
 public service
 professionals, 1
 reversible types, 10
 risk factors, 10
 treatment and
 prevention, 1
 vascular, 8–9, 14
- Dementia-Friendly America
 (DFA), 1, 45, 90,
 138–139
- Dementia Friends
 organization, 138
- Dementia with lewy bodies
 (DLB), 9
- Depression, 59
- Digital coping model, 70
- Early-onset AD (EOAD), 8
- EBSCO, 77
- Elder Law Answers, 83
- Emotional needs, 87–92
- Face-to-face
 communication, 37,
 43–45
- Family Caregiver Alliance,
 89
- Fidget quilts, 136
- FINGER Study, 33,
 142
- First-line approach,
 behavioral changes,
 29
- Frontotemporal
 dementia, 9
- Hallucinations,
 62–63
- Health Professions Press,
 103
- HealthReach, 76
- Healthy lifestyle choices,
 29–31
- HIV/AIDS, 4
- Huntington's disease, 9
- Instrumental ADLs, 34
- Interest Group for
 Alzheimer's and
 Related Dementias
 (IGARD), 90
- International Federation of
 Library Associations
 (IFLA), 1, 39, 94,
 118
- Late-onset Alzheimer's
 dementia (LOAD),
 8, 14
- Learning Your Community,
 95

- Library and information science (LIS), 65–67, 94
- Library customer service/communication
 - “adult services” text, 40
 - behavioral challenges, 58–63
 - cognitive stimulation, 37
 - with dementia
 - community, 42–45
 - in early-stage (mild) dementia, 52–55
 - elements of, 45–50
 - evidence-based decisions, 39
 - face-to-face communication, 37
 - “ideal communication strategies,” 39
 - in late-stage (severe) dementia, 57–58
 - library and information science (LIS) training, 39
 - mental illness signs, 41
 - in middle-stage (moderate) dementia, 55–57
 - redirection practice, 50
- Reference and User Services Association (RUSA), 40
- skills, 38
- therapeutic lie, 50–51
- Wayfinding, 37–38, 50
- Library dementia services. *See also* Library customer service/communication, 2
- Library public service practice
 - body language, 47
 - clear and slow speech, 46–47
 - creative listener, 47–48
 - everyday topics, conversation, 48–49
 - eye contact, 46
 - patience, 49
 - person-centered language, 49
 - person’s attention, 46
 - repetitions and consistent phrasing, 47
 - simple language, 47
 - yes/no questions, 48
- Lifelong learning, 15, 118, 119
- Literary fiction, 115
- Mayo Clinic, 77
- Medical information needs, 75–80
- Memory Café (MC), 123
- Memory Connection Centers, 134
- Mental stimulation, 29, 31–32, 141
- MEternally, 106–107
- Mild Alzheimer’s dementia, 23–24

- Mild cognitive impairment (MCI), 4, 15–17, 22–23
- Mixed dementia, 8
- Moderate Alzheimer's dementia, 24–25
- MOMA Alzheimer's Project, 132
- Multifocal approach, 37
- Music-based therapies, 105
- National Academy of Elder Law Attorneys (NAELA), 83, 85
- National Adult Day Services Organization, 82
- National Alliance for Caregiving, 90
- National Caregiver Alliance, 80
- National Council on Aging, 80
- National Hospice and Palliative Care Organization, 87
- National Institute on Aging (NIA), 83, 85
- Nonprofit advocacy organizations, 4
- Parkinson's disease, 9
- Patron-Driven Acquisition (PDA) plans, 96
- Personal ADLs, 34
- Personal memory therapies, 32
- Physical exercise, 141
- Plaques, 7
- ProQuest, 77
- PubMed Health, 76
- Reference and information services
- caregivers, 72–73
 - Certified Elder Law Attorneys (CELA), 84–87
 - digital coping model, 70
 - emotional needs, 87–92
 - financial and care planning, 80–83
 - health-care decisions, 73–74
 - health information dissemination, 71
 - language and cultural barriers, 73
 - library and information science (LIS), 65
 - Library Science approach, 69
 - medical information and needs, 66, 72, 75–80
 - to older adults, 66–69
- Reference and User Services Association (RUSA), 65–66
- self-care, 73
- Reference and User Services Association (RUSA), 40, 65–66, 68–69
- Reference interview, 66
- Reminiscence kits, 105–106, 122–123

- Severe Alzheimer's dementia, 25–26
- Shadowbox Press, 104
- Sleep changes and sundowning, 59
- Social stimulation, 29, 32–33
 - AARP Memory Activity Book, 122
 - Alzheimer's activities, 121–122
 - cognition research, 120–121
 - cognitive impairment, 124
 - Memory Café (MC), 123
 - public libraries, 123–124
 - reminiscence kits, 122–123
 - Tales & Travel program, 124–125
- Tales & Travel program, 124–125
- Target audience identification, 96
- Tau protein, 7, 12
- Traumatic brain injuries, 9, 15
- User-centered Acquisition, 95–97
- US National Library of Medicine's (NLM) MedLine Plus, 76
- Vascular dementia, 8–9, 14
- Wandering, 59–60
- Warning signs, Alzheimer's dementia
 - confusion with time/place, 18
 - decreased/poor judgment, 19
 - difficulty completing tasks, 18
 - language difficulty, 18
 - memory loss, 16–17
 - misplacing objects, 18–19
 - mood and personality changes, 19
 - neuropsychiatric symptoms, 19
 - planning/problem-solving, 17–18
 - visual images/spatial relationships, 18
 - work/social activities withdrawal, 19
- Wayfinding concept, 37–38, 50
- Winslow Resources, 106

