

# INDEX

- Accelerometer data, 79
- Acculturation, 72–73, 75–76, 78, 125, 127–128, 180–182
  - ethnic/nativity disparities in weight gain, 87–89
  - hypothesis, 99
  - problematizing, 5–7
  - risk regulators, 86–87
  - stress, 183–184
- Acculturation Rating Scale II (ARSMA-II), 186
- Acculturation's influence on BMI
  - analytical procedures, 128–129
  - Asian American ethnic subgroups, 128
    - body weight disparities, 140
    - characteristics of foreign-born
      - Asian Americans, 129, 132–139
    - control variables, 128
    - dependent variable, 127
    - descriptive statistics categorized by foreign-born Asian American, 130–131
    - independent variables, 127–128
    - measurements, 127
    - obesity-related problems, 140
    - results, 129
    - study population, 126–127
- Acculturative stress, 180–182
- Affordable Care Act (ACA), 11, 230, 235, 239
  - AME of citizenship, 240–241
  - analytic approach, 237–239
  - citizenship inequities for Latinos and non-Latinos, 233–235
  - data and methods, 235
  - healthcare policy change, 241–242
  - immigrant restriction in, 231–232
  - Latino and non-Latino noncitizens, 242–243
  - limitations, 243–244
  - noncitizen restriction from welfare and social services, 232–233
  - population health of legal and institutional determinants, 244–246
  - variables, 236–237
- Age at migration, 20, 22–23
  - interaction between cross-border ties and, 32
  - main effect associations, 28
  - measures, 26
- Age/gender standardized SFA measure, 100
- Aggression, 207
- Agriculture, 253, 257–260
  - foreign-born workers in, 266–267
- Alcohol, 19
- Alcohol per capita consumption (APC), 38
- Alcohol use, 22–23, 182
  - measures, 25–26
  - odds ratios and confidence intervals for, 30–31
  - predicted probabilities, 33
- Allostatic load, 79
- American ethnic subgroups, 140
- Anger, 207
- Anti-immigration policies, 245
- Antiretroviral therapy (ART), 51
- Anxiety, 35, 180, 182, 207, 218, 220–221
- Asian American ethnic subgroups
  - BMI, 128, 136, 139
  - body size disparities, 141

- disparities in acculturation in, 140–141
- obesity rates, 125–126, 132, 140
- OLS, 136, 139–140
- social determinants of health among, 124
- Asian Americans, 124
  - discrimination among, 182–183
  - foreign-born, 125, 129–139
  - health disadvantage, 164
  - health profile, 149
  - immigrants, 151
- Assimilation, 21–22, 180
- Asthma, 280, 281, 283
- Attitudes, 125
- Average marginal effects (AME), 237, 240
  - of citizenship, 240–241
- Basal metabolic rate (BMR), 89, 92
- Behavioral changes, 125
- Beliefs, 125
- Binomial logistic regression model, 56, 59
- Biomarkers, 77, 290
  - data, 281
- Birth-weight, 100
- Birth/prenatal conditions, 283
- Bivariate analyses, 111
  - results, 112–114
- Black immigrants, 151
- Body mass index (BMI) (*see also* Acculturation's influence on BMI), 78, 124, 127, 136–138, 280–281, 283
- Body weight disparities, 139–140
- Breast cancer, 182
- Bureau of Labor Statistics (BLS), 256, 257
- C-reactive protein (CRP), 276
- California Health Interview Study (CHIS), 10, 126, 128
- California Health Interview Survey (*see* California Health Interview Study (CHIS))
- Caloric intake, 75, 79
- Cardiovascular disease, 124
- Cardiovascular mortality, 257
- Cardiovascular risk factors, 127
- Census of Fatal Occupational Injuries (CFOI), 270
- Center for Nutrition Policy and Promotion (CNPP), 79
- Centers for Disease Control and Prevention, 149
- Central Asian migrants in Russian cities, 49
- Child race/ethnicity in NHANES, 283
- Chronic stress, 75, 79
- Chronic stress exposure, 278
- Citizenship, 230
  - granting to immigrants, 175
  - inequities for Latinos and non-Latinos, 233–235
  - status, 128
  - status, 235, 236
- Civic inequality, 209
- Community organizations, 109
- Community-based organization (CBO), 213
- Computer assisted personal interview (CAPI), 185
- Conceptual model, 73–74
  - estimating, 77
  - prior research supporting, 75–77
- Concomitant socioeconomic disadvantage, 151–152
- Control variables, 80, 128, 283
- Coronary heart disease (CHD), 256
- Country-level APC, 38
- Covariates, 27–28, 54, 100, 112, 128, 133, 136, 139, 158
- Cross-border contact, 24, 26
- Cross-border relationships, 21
- Cross-border separation, 21
- Cross-border ties, 18, 20–23, 38
  - age at migration and alcohol use, 22–23

- assimilation and transnationalism
  - frameworks, 21–22
- expected heterogeneity by country
  - of origin and gender, 23–24
- hypotheses, 25
- interaction between age at migration and, 32
- limitations, 36–37
- main effect associations, 28
- measures, 25–28
- methods, 25
- recommendations for future work, 37
- results, 28–34
- transnational framework
  - emergence in immigrant health behavior research, 19–21
- Cross-national perspectives, 4–5
- Cross-national research, 48
- Cultural factors, 4
- Culture, 128, 255
  - American culture, 125, 141, 207, 277
  - conceptualization and operationalization, 5–6
  - decontextualizing, 6
  - Mexican culture, 91
- Cumulative disadvantage, impact of, 7
- Current Population Survey (CPS), 262
- Data Access Center (DAC), 126
- “Decontextualizing” culture, 6
- Deferred Action for Childhood Arrivals (DACA), 1, 176, 213, 225, 231
- Dental health, 106
- Dependent variable, 110, 127, 153, 284
- Depression, 180, 182, 207, 218
- Descriptive analysis, 28
  - descriptive results, 82–85
- Diabetes case
  - analysis, 154–155
  - analytic sample, 152–153
  - data and methods, 152
  - demographic, socioeconomic, and health-related characteristics, 156–157
  - health disparities, 166
  - hispanics adults, 165
  - immigrant health in context of racial/ethnic disparities, 151–152
  - key variables, 153–154
  - longevity and disability, 167
  - nativity differential in health, 150–151
  - odds ratios of diabetes, 159–163
  - predicted probabilities of diabetes, 164
  - racial/ethnic disparities in health, 148–150
  - raw prevalence of diabetes, 158
  - results, 155
- Diet quality, 75, 79
- Discrimination (*see also* Perceived discrimination), 50, 180, 182–184, 209–210
- Distress of Mexican illegality stigma, 209–211
- Dual frame of reference, 255
- Eateries, 52–53
- Eating behavior, 75
- Edentulism, 106
- Education, 181, 187
- Effect decomposition, 191–192
- Egocentric networks and oral health outcomes
  - analyses, 111
  - bivariate results, 112, 113–114
  - dependent variables, 110
  - ego oral health variables, 110
  - ego sociodemographic variables, 110
  - immigrant paradox scenario, 117
  - methods, 109

- multivariate results for ego and oral health characteristics, 112, 115–118
  - multivariate results for social network characteristics, 115–117
  - network characteristics, 110–111
  - OHM, 118
  - results, 111
  - social resources or social capital mechanism, 119
  - traditional individual-level factors, 120
- Encuesta Nacional de Salud y Nutrición (ENSANUT), 5
  - see also* Mexican National Health and Nutrition Survey
- English as a second language (ESL), 216
- English proficiency or length of residence, 140
- Epidemiologic paradox, 254
- Essential health information, 126
- Ethnic identity, 128
- Ethnic minority/national origin group, 118–119
- Ethnicity, 74, 78, 181, 236
- Ethnicity/nativity effects, 82
- Ethnoracial inequality, 233–234
- Expert interviews, 59–63
- Face-to-face questionnaire, 53
- Farmworkers, 259
- Fear, 207
- Federal welfare funds, 232
- Filipino Americans
  - acculturation, 140–141
  - BMI, 129
  - obesity rates, 124, 129, 132, 139
  - OLS, 139
- Filipino Americans, 139
- First-generation immigrants, 186, 188, 191
- “Flips the script” pattern, 2
- Food similarity index (FSI), 78
- Foreign-born adults, 148, 152, 154–155, 165
- Foreign-born Americans, 148, 150
- Foreign-born Asian Americans, 129
  - body weight, 125
  - characteristics, 129, 132
  - descriptive statistics, 130–131
  - obesity by length of residence and English proficiency, 132
  - OLS regressions of BMI on acculturation, 128, 133–138
- Foreign-born Hispanic adults, 162
- Foreign-born Latino migrants, 252
- mortality, 254
- Full information maximum-likelihood structural equation models (FIML SEM), 78
- Fundamental cause theory, 7, 8
- Gender differences, 50
- “Hard-line” restrictionist, 2
- Health (*see also* Immigrant and refugee health), 2, 20–21, 181, 185, 277–278
  - disparities, 166
  - insurance, 231, 235
  - nativity differential in, 150–151
  - patterns, 148
  - racial/ethnic disparities in, 148–150
  - services, 107
- Health care, 261–262
  - providers, 108
- Healthy migrant theory, 254
- “Healthy migrant” hypothesis, 98
- Heat related illnesses, 259
- Heterogeneity, 255
- Hispanic Paradox, 269
- Hispanic(s)
  - adults, 165
  - agricultural workers, 260, 262
  - ethnicity, 153
  - foods, 78

- immigrants, 164–165
- mortality analysis, 6
- HIV, 48
- HIV/AIDS epidemic in Russian Federation, 48
- Household respondents, 284
- HyperResearch, 214
- Hypertension, 182
- Illegality, 208–209
- Illegality stigma (*see also* Mexican illegality stigma), 10–11, 206, 210–211
- Immigrant America, 2
- Immigrant and refugee health, 178
  - acculturation and acculturative stress, 180–182
  - discrimination, 182–183
  - factors shaping, 180
  - mental health, 179–180
  - physical health, 178–179
  - social stress/stressors, 183–184
  - social support, 184
  - study aim and hypotheses, 184
- Immigrant health, 244–246
  - advantage, 106
  - in context of racial/ethnic disparities, 151–152
  - scholars, 18
  - transnational framework
    - emergence in immigrant health behavior research, 19–21
- Immigrant health paradox (*see also* Inflammation among children), 119, 178, 180
- Immigrant Paradox, 269
- Immigrant(s), 107, 148, 150, 174, 176–177
  - acculturation, 125
  - children, 278
  - Latino, 107, 243, 277
  - populations, 125
  - restriction in ACA, 231–232
  - social networks, 108
  - social status, 278–280
- Immigration, 277–278
  - policies, 7, 22
  - scholars, 233
- “Immigration and Health”, 1, 8–12
  - cross-national perspectives, 4–5
  - patterns of immigrant health, 2–4
  - problematizing acculturation, 5–7
  - structural influences, 7–8
- In-depth interviews, 59–63, 214
- Incidence rate ratios (IRRs), 111
- Independent variables, 111, 127–128
- Individual risk factors, 150
- Individual-level behavioral risk factors, 4
  - failure of, 10
- Individual-level factors, 154
- Inflammation among children
  - associations between parent status and logged CRP, 286–287
  - data and sample, 281
  - immigrant social status, 278–280
  - immigration, stress, and health, 277–278
  - measures, 282–284
  - results, 285–288
  - statistical analysis, 284
  - study contribution, 280–281
  - weighted descriptive statistics, 282
- Institutional Development Award (IDeA), 142
- Institutional Review Board (IRB), 126
- Integrated Health Interview Survey (IHIS), 235–237
- Integrated Public-use Microdata Series (IPUMS), 258, 262–263
- Integration of Immigrants into American Society, The*, 2
- International Labour Organization (ILO), 252
- International migration, 4
- Kessler 6 (K6), 214, 215
- Korean Americans, 129
  - obesity rates, 124
- Kyrgyz (migrant group), 52

- Labor
  - market, 252–253
  - migrants, 50–51, 252
  - practices, 7
- Language preference, 186
- Latino Threat: Constructing Immigrants, Citizens, and the Nation, The* (Chavez), 207
- Latinos
  - citizenship inequities for, 233–235
  - explanations for Latino health paradox, 98–99
  - immigrants, 22, 107, 243, 277
  - migrant workers, 257
  - subgroups, 106
- Linear regression models, 100
- Logistic regression
  - models, 154
  - of prescribed painkiller or antibiotic, 117
  - of sore or bleedings gums, 116
- Longevity advantage, 151
- Los Angeles children with foreign-born primary caregivers, 278
- Los Angeles Family and Neighborhood Survey (L. A. FANS), 289
- Low-grade inflammation
  - in childhood, 276–277
  - disparities in, 11
- Macro-level processes, 8
- Marginalization, 50
- Medical diagnosis, 281
- Mental component summary 12 (MC12), 185
- Mental health, 179–180, 185
- Metabolic equivalent of task (MET), 92
- Methodological improvements, 77
- Metropolitan statistical area (MS), 187
- Mexican American children, 288
- Mexican American immigrant disadvantage, 289
- Mexican Americans (MAs), 72, 106
  - acculturation and socioeconomic status risk regulators, 86–87
  - analysis, 80–82
  - data and sample, 77–78
  - descriptive results, 82–85
  - estimating conceptual model, 77
  - ethnic/nativity disparities in weight gain, 87–88
  - findings from supplementary models, 88–89
  - group differences in BMI, weight gain, and key predictors, 82
  - indirect, direct, and total effects of SES and acculturation, 84
  - limitations, 91–92
  - measures, 78–80
  - prior research supporting conceptual model, 75–77
  - significant structural paths for women and men, 83
  - structural equation model results, 85–86
  - theoretical orientation and conceptual model, 73–74
  - total, indirect, and direct effects of ethnicity/nativity, 84
  - unweighted sample descriptives, 80–81
- Mexican illegality stigma, 206, 207–209, 223
  - analysis, 214–215
  - case study, 218–222
  - data and methods, 212
  - empirical evidence on psychological well-being, 211–212
  - experiencing, 215–217
  - measurements, 213–214
  - and psychological well-being, 218
  - recruitment, 212–213
  - sample characteristics, 213
  - stigma, 207–208
  - stress, 217–218
  - stressors, stress, and distress of, 209–211

- undocumented immigrants, 206–207
- undocumented Mexicans, 207
- Mexican immigrants, 5, 75
- Mexican National Health and Nutrition Survey, 5
- Mexican nationals in Mexico, 5
- Mexican-origin adults in US, 72
- Migrant women in Russia
  - background and conceptualization, 49–52
  - context, 48–49
  - data, 52–53
  - distribution of outcome variables, 55
  - in-depth and expert interviews, 59–63
  - method, 53–54
  - predictors and covariates, 54
  - results, 55–63
  - sexual partners, 57
  - trust in and relationship with permanent partner, 58
  - worries about contracting HIV and HIV testing, 60–61
- Migrants, 49, 253–257
- Migration
  - process, 151–152
  - scholars, 242
  - status-related barriers to health care, 50
- Mobile labs, 281
- Modern-day immigrant groups, 279
- Mortality, 253–257
- Moscow, survey respondents in, 53
- Mother-to-child transmission, prevention of, 51
- Multiple Cause of Death (MCD), 253, 262
- Multiplicative interaction terms, 28
- Multivariate models test, 56
- Multivariate results for ego and oral health characteristics, 112, 115
  - logistic regression of prescribed painkiller or antibiotic, 117
  - logistic regression of sore or bleedings gums, 116
  - Poisson regression of lifetime tooth loss, 118
- Multivariate results for social network characteristics, 115–117
- National Center for Health Statistics (NCHS), 235, 253
- MCD, 253, 262
- National Death Index (NDI), 6
- National Epidemiologic Survey of Alcohol and Related Conditions* (NESARC), 185
- National Epidemiological Survey on Alcohol and Related Conditions, 10
- National Health and Nutrition Examination Survey (NHANES), 5, 73, 281
- NHANES III, 98
- NHANES Youth sample, 99
- National Health Interview Survey (NHIS), 6, 124–125, 152, 230, 236
- National HIV statistics, 48
- National Institute of Occupational Safety and Health (NIOSH), 256, 260
- National Latino and Asian American Study (NLAAS), 8, 25
  - descriptive statistics, 29
- National Latino and Asian American Survey (*see* National Latino and Asian American Study (NLAAS))
- National Traumatic Occupational Fatality Surveillance (NTOF), 270
- Native-born Americans, negative behavioral profiles of, 6
- Nativity, 153
  - differential in health, 150–151
- Nativity, 74, 78
- Naturalized citizens, 236

- Negative acculturation, 252
  - impacts of, 6
- Negative emotions, 212
- Neighborhood characteristics, 7
- Network
  - characteristics, 110–111
  - forces, 107
- NHIS-linked Mortality File (NHIS-LMF), 6
- nlcom* (Stata's post-estimation command), 81
- Non-Hispanic
  - phrase, 153
  - White counterparts, 149
- Non-institutionalized population, 126
- Non-Latino
  - citizenship inequities for, 233–235
  - noncitizens, 243
- Non-refugee immigrants, 180
- Non-violent antisocial behavior, 180
- Novosibirsk, survey respondents in, 53
- Obesity, 79, 182
- Obesity rates
  - Asian American ethnic subgroups, 125–126, 132, 140
  - Filipino Americans, 124, 129, 132, 139
  - Korean Americans, 124
- Occupation, 263
- Odds ratios (ORs), 111
- Oral health
  - behaviors, 106
  - ego oral health variables, 110
- Oral health disparities (OHD), 106
- Oral Health Matters (OHM), 109
- Ordinary least squares (OLS), 100, 101, 128–129, 133–138
- Parent education, 279
- Parent reports, 281
- Perceived discrimination, 182
  - data, 185
  - descriptive statistics for three analytic samples, 189
  - effect decomposition, 191–192
  - factors shaping immigrant and refugee health, 180–184
  - first-generation immigrants, 188
  - immigrant and refugee health, 178–180
  - language-related discrimination, 183
  - measures, 185–187
  - procedure of analysis, 187–188
  - racial-ethnic discrimination, 185–186
  - racial/ethnic minority immigrants, 175
  - refugees, 188–190
  - selected estimates of unstandardized effects, 190
  - US immigrant and refugee populations, 176–178
- Periodontal health, 106
- Personal Responsibility and Work Opportunity Reconciliation Act (PRWORA), 232, 234, 242
- Physical activity, 75, 79
- Physical component summary 12 (PCS12), 185
- Physical health, 178–179, 185
- “Place, Migration, and Health”, 4
- Poisson regression of lifetime tooth loss, 118
- Population health research, 244–246
- Posttraumatic stress disorder (PTSD), 180
- Poverty income ratio (PIR), 236–237
- Power, 208
- Premigration parent education level, 280
- Psychological distress, 182, 218
- Psychological well-being
  - Mexican illegality stigma and, 218
  - of undocumented immigrants, 211–212
- Psychosocial stress, 108



- Psychosocial stressors, 276
- Public health insurance coverage, 236
- Qualitative research, 21
- Race and Hispanic ethnicity, 153
- Race-conscious society in US, 166
- Race/ethnic(ity), 148, 153
  - minority status, 279
  - orientation, 186
  - origin, 186
  - race/ethnicity-specific findings, 290
  - social preference, 186
- Racial discrimination, 255
- Racial/ethnic disparities
  - in health, 148–150
  - immigrant health in context, 151–152
- Racial/ethnic minority
  - immigrants, 175
  - status, 279
- Racialization, 7, 209
- Redistributive policies, 234
- Refugees, 177–178, 188–190, 192
- Regression models, 127
- Retail, 52–53
- “Root causes” of immigrant health, 7
- Russia’s Compulsory Medical Insurance, 51
- Russian Federation, 51
  - HIV/AIDS epidemic in, 48
  - HIV/STI vulnerabilities, 48
  - vulnerabilities of migrant women in, 51, 52, 56, 59, 64
- “Salmon-bias” theory, 254, 267
- Sample Adult Questionnaire (SAQ), 152–153
- Sampling procedure, three-stage, 52
- Self-identity, 125
- Self-reported health, 182
- Self-reported physical activity, 79
- Sensitivity analyses, 32, 34, 284
- Sequential logistic regressions, 155–156
- SES variables, 253
- Sexual and reproductive health (SRH), 48
- Sexually transmitted infection (STI), 48
- SF-12 assessment, 178
- Smoking, 182
- Social
  - capital, 107–108, 119
  - class position, 279
  - conditions, 72
  - contexts and behaviors, 148
  - epidemiological research, 179
  - modeling and learning, 107
  - networks, 107, 115–117
  - noncitizen restriction from social services, 232–233
  - norms theory, 21
  - processes, 72
  - psychological factors, 180
  - relationships, 108
  - resources, 119
  - scientists, 19, 22
  - stress scholars, 210
  - stress/stressors, 183–184
  - support, 184, 187
- Sociodemographic characteristics, 112, 128
- Sociodemographic variables, 187
  - ego, 110
- Socioeconomic factors, 187
- Socioeconomic status, 73, 76–79, 181
  - ethnic/nativity disparities in weight gain, 87–88
  - risk regulators, 86–87
- Sociological research, 151–152
- Spanish-language utilization,
  - protective effect of explanations for Latino health paradox, 98–99
  - methods, 99–100
  - results, 100–102
- Stata 14’s SEM package, 81
- Stata’s margins dydx command, 237
- Statistical analyses, 27–28, 55–59, 284

- Statistical tests, 55
- Stature for age (SFA), 99
- Stigma (*see* Mexican illegality stigma), 206–208
- Stigmatization of illegality, 209
- “Straight-line” assimilationist orientation, 19–20
- Street corner labor markets, 260
- Stress, 183–184, 207, 277–278
  - of Mexican illegality stigma, 209–211, 217–218
  - process model, 207, 210
  - stressful life events, 187
- Stressors, 174–175
  - of Mexican illegality stigma, 209–211
- Structural equation models (SEMs), 77, 176
  - results, 85–86
- Substance use, 182
- Supplemental Security Income (SSI), 232
  
- Tajik (migrant group), 52
- TalaSurvey Study, 109
- Temporal dynamics, 77
- Temporary Assistance to Needy Families (TANF), 232–233
- Theoretical model, 74
- Time-location approach, 52
- Tobit regression, 284
- Tradition, 128
- Transnational framework
  - adoption of, 19
  - emergence in immigrant health behavior research, 19–21
- Transnationalism, 20–22
- Tribal affiliation stigma, 208
- Trump administration, 1, 2, 225
- Type 2 diabetes, 124
  
- U-visa, 213, 225
- U.S. Census Bureau (2012), 124
- Undocumented immigrants, 206–208, 211
  - empirical evidence on psychological well-being of, 211–212
- Undocumented young adults, 213, 216
- Unemployment, 236
- University of California, Los Angeles (UCLA), 126
- US Federal government Certificate of Confidentiality, 109
- US immigrant and refugee populations, 176–178
- US labor market, 252, 257
- US racial hierarchy, 255
- US-born Latinos, 11
- US-oriented assimilation of health behaviors, 20
- US–Mexico border, 22
- Uzbek (migrant group), 52
  
- Values, customs, 125
- Variables
  - dependent, 110, 127, 153, 284
  - ego oral health, 110
  - ego sociodemographic, 110
  - independent, 111, 127–128
  - SES, 253
  - sociodemographic, 187
- Variance inflation factors, 111
- Vietnamese Americans, BMI of, 129
- Violence Against Women Act (VAWA), 225
  - visa, 213
- Violent antisocial behavior, 180
  
- Weight gain, 78, 81
- Weight-related behaviors, 125–128
- Weight-related chronic illnesses, 124
- Welfare, noncitizen restriction from, 232–233
- Welfare reform (1996), 232
- Wilcoxon–Mann–Whitney test, 111
- Work role in migrant health and longevity, 256, 257
  - agriculture, 257–260

- construction, 260–261
- data and methods, 262–263
- health care, 261–262
- ILO, 252
- migrant health and mortality,  
253–257
- results, 263–269
- Work status, 187
- Working-age, 253
- Workplace, 52
- World Health Organization Expert  
Consultation (2004), 124
- World Health Organization's  
Composite International  
Diagnostic Interview (WHO  
CIDI), 214
- World Health Organization's  
European region, 48