

# INDEX

- Acting and shifting *see* Four As of sustainable logistics
- Aerodynamics  
rail transport, 48  
road transport, 8–9, 47, 48, 55
- Alternative fuels, 9, 33, 50–3  
biofuels, 4, 9, 12, 50–1, 52, 53  
compressed NG (CNG), 51, 52  
dimethyl ether (DME), 51  
dual fuel vehicles, 9, 51, 52  
electricity *see* Electric vehicles;  
Electricity  
hybrid engines, 52  
hydrogen, 4, 9, 51  
liquid petroleum gas (LPG), 51  
natural gas (NG), 5, 9, 51, 52  
passenger transport, 4  
use in logistics, 51–3
- Amazon, 66
- Anticipation *see* Four As of sustainable logistics
- ArcGIS Network Analysis, 63, 70, 71, 73–5
- Austria  
rail transport, 37, 39
- Avoidance *see* Four As of sustainable logistics
- Awareness *see* Four As of sustainable logistics
- Backloads, 41–2, 43–4  
*see also* Collaboration
- Barges  
break-even distances, xxi, 231–4, 235, 236, 237  
load factor, 237  
vehicle technology, 49–50  
*see also* Inland waterways
- Belgium  
inland waterways, 231–4  
LAMBIT, 228, 231–4  
rail transport, 37  
urban light rail, Brussels, xxi, 255–60
- Berlin  
intermodal shift, 167
- bestLog programme, 38, 58
- BESTUFS, 58
- Biofuels, 4, 9, 12, 50–1, 52  
biodiesel, 9, 50, 52  
Greenenergy, 51–2  
mixtures, 53  
rail transport, 53  
rapeseed, 52  
Renewable Transport Fuels  
Obligation, 51  
second-generation, 50–1, 52  
sustainability, 50, 52, 53
- Biogas, 9
- Break-even distances  
cost analyses, 222, 236–8  
cost modelling, 224–5, 227  
defining, 220, 223  
inland waterways, xxi, 231–4, 235, 236, 237

- intermodal transport, xxi, 217–41
- literature, 219–27
- lowering, 234–40
- measurement for distance, 222–3
- rail transport, xxi, 227–31
- reported break-even distances, 223–7
- theory on break-even analysis, 219–23
- Brussels
  - urban light rail, xxi, 255–60
- Bulgaria
  - road transport, 37
- Bundling, xix, 10, 52, 281, 283
  - city logistics, 267
  - EFVs, 279
  - Twin Hub project, 227–31
- Business models (BM), 196–200
  - challenges, 200–1
  - complete transport company model, 198
  - Coop, 201–12
  - customer interface, 203–5
  - defining, 196–7
  - financial aspects, 207
  - four pillars, 197, 202–7
  - infrastructure management, 205–7
  - intermodal transport, xx–xxi, 193–214
  - local cooperation model, 198
  - nine building blocks, 197
  - Osterwalder's model, 193, 197, 198–207, 208–9
  - own-account transport model, xxi, 129, 193, 195, 198–9, 201–14
  - product, 202–3
  - subcontractor model, 198
  - Volvo, 201, 202–12
- Canals *see* Inland waterways
- Cap & trade system, 23–4
- Carbon footprint, 18, 19–20, 21, 90
- Cargo Domizil, 38
- Cargo trams, xxi, 245–61
  - Amsterdam, 249–51
  - Brussels, xxi, 255–60
  - Dresden, 249–51
  - literature, 248–55
  - Paris, 249–51
  - Vienna, 249–51
  - Zurich, 249–51
  - see also* Electric freight vehicles
- Cargohopper, 277, 282–4
- Cellulosic crops, 51
  - rapeseed, 52
- City logistics, xxi, 57, 59, 266–7
  - bundling and, 267
  - CO<sub>2</sub> emissions reduction, 9–10
  - EFVs and, xxiii, 266–9
  - European Union, 267, 268
  - SEVs and, xxiii, 295–313
  - traffic disturbance, 299, 300, 312
- Clean air programme, xvii
- CLECAT, 48, 55–6
- Climate change, xxii, 166
  - fossil fuels and, 4, 5
  - mode shift and, 10–11
- CNG (Compressed natural gas), 51, 52
- CO<sub>2</sub> emissions, xvi, xvii, 1–27
  - biofuels and, 4, 9, 12, 50–1, 52
  - carbon footprint, 18, 19–20, 21
  - city logistics, 9–10
  - delivery services and, 63–80

- economic growth and, 4–5, 14, 25–6
- environmental reporting, 54–5
- EU-ETS, 24
- European Union, 3–4, 9–10, 12, 14, 19, 26, 218, 271
- Lean and Green programme, xvi, 16
- levers for reducing, 5–7
- mitigation *see* Mitigation measures
- objective and reliable information, 19–20
- passenger transport, 4, 66
- policy instruments, 14, 20–4
- reduction, xvi, xvii, 1–27
- retail chains, 90–1
- supply chain management, 6–7, 10–11
- taxation, 22–3
- VMT and, 63–80
- warehouse location, 66, 67, 71, 73
- Coastal freight, xx, 167
  - accessibility/load size, xx
- Coca-Cola, 282
- Cold ironing, 50
- Collaboration, 41–2
  - backloads, 41–2, 43–4
  - horizontal, xix, 115–16, 121
  - longitudinal, 115
- Company reports, 54–5
- Compressed natural gas (CNG), 51, 52
- Consolidation of goods, 45–6
- Containerisation, 37
  - swap bodies, 37, 39, 49
- Contract logistics, 46
- Contracts
  - green logistics contracts, 85, 92–3, 97–8, 99, 100, 106
  - intermodal transport, 206–7
- Coop
  - intermodal transport, 201–12
- Corporate social responsibility (CSR) reporting
  - green retail chains, 84, 85, 87, 88, 89, 93, 94, 96, 100, 102, 103
- Czech Republic
  - road transport, 37
- DB Schenker, 52, 53, 205, 206
- Delivery services, xvii–xviii, 46
  - ArcGIS Network Analysis, 63, 70, 71, 73–5
  - depot locations, 71–3
  - e-commerce, 57, 66
  - emissions factors, 70–1
  - environmental effects, 63–80
  - greenhouse gas emissions, 63–80
  - household data, 73
  - large companies, 46
  - last-mile passenger vehicles, xvii–xviii, 68, 69, 73–4, 75–80
  - literature review, 66–7
  - local depot truck delivery, 68, 69, 75–80
  - network data set, 68–70
  - reductions in externalities, 66–7
  - regional warehouse truck delivery, 68, 69, 75–80
  - vehicle travel, 73–5
  - VMT and pollutants, 63–80
  - warehouse location, 66, 67, 71, 73
- Depot location, 45, 71, 73
  - see also* Warehouse location
- Diesel, xxii, 33, 51, 53, 246
  - biodiesel, 9, 50, 52
  - locomotives, 48

- Dimethyl ether (DME), 51
- Double-decker trailers, 42–3
- Dresden
  - cargo trams, xxi, 249–51
- Driver feedback, 6, 9, 54
- Driver training, 42, 53–4
  - fuel efficient driving, 6, 9, 53–4, 55
- Dual fuel vehicles, 9, 51, 52
  - conversion kit, 52
- e-commerce, 57, 66
- Eco-driving, 53–4
  - see also* Fuel efficiency
- Eco-efficiency
  - definition, 140
  - packaging, 139, 140–1
  - supply chain integration, 140–1
- Economic growth
  - CO<sub>2</sub> emissions reduction and, 4–5, 14, 25–6
  - green growth and, 14
- ECOSTARS, xvii, 58
- EFVs *see* Electric freight vehicles
- ELAbestLog programme, 38, 58
- Electric freight vehicles (EFVs), xxiii, 33, 265–94
  - adding value, 279
  - architecture, 279
  - batteries, 268, 273, 274, 276
  - bundling, 279
  - cargo trams, xxi, 245–61
  - in city logistics, 266–9
  - compared to ICE vehicles, 273, 274, 276
  - definition, 268
  - economical performance, 273, 274
  - environmental performance, 273, 274–5
  - government policy and, 275–6, 280–1
  - implementation, 265, 268, 271–85
  - limited availability, 272, 273, 284, 285
  - logistics facilities, 277–80
  - long-term vision, 280
  - operational performance, 272, 273, 274
  - private initiatives, 281–4
  - property requirements, 279
  - purchase costs, 272, 274, 284, 285
  - rapid technical development, 285
  - social and attitudinal performance, 273, 275
  - technical performance, 272, 273
  - trains, 48, 51, 53
  - weight of goods, 278
- Electric vehicles (EVs), xxii–xxiii, 4, 9, 24, 271, 284
  - batteries, 268, 273, 274, 276, 311, 312
  - operational performance, 272, 273, 274, 306–10
  - purchase costs, 272, 274, 284, 285, 299, 310
  - running costs, 299
  - see also* Electric freight vehicles; Small electric vehicles
- Electricity
  - prices, 299
  - sources, 9, 51
- Emissions *see* CO<sub>2</sub> emissions; Greenhouse gas emissions
- Emissions trading, 58
  - cap & trade system, 23–4
  - CO<sub>2</sub> emissions, 18, 23–4, 58
  - EU-ETS, 24

- Empty running, 11, 41–2, 90
- Environmental reporting, 54–5
  - retail chains CSR reporting, 84, 85, 87, 88, 89, 93, 94, 96, 100, 102, 103
- EPA MOVES model, 63, 70, 72
- ESRI StreetMap, 68, 70, 73, 75
- Euro Terminal Model, 228
- European Logistics Association (ELA)
  - ELAbestlog, 38, 58
- European Modular System, 37
- European Organisation for Forwarding and Logistics, 48
- European Union
  - BESTUFS, 58
  - biofuels, 12
  - certification, reporting and monitoring, 19
  - city logistics, 267, 268
  - CO<sub>2</sub> emissions reduction, 3–4, 9–10, 12, 14, 19, 26, 218, 271
  - ECOSTARS, 58
  - ELAbestlog, 38, 58
  - Emission Trading System (EU-ETS), 24
  - Euro Standards, 47, 52
  - European Commission
    - Transport White Paper 2011, xxi, 3, 4, 9–10, 18, 271
  - EVs, 271
  - Freight Action Plan, 37
  - Fuel Quality Directive, 53
  - GIFTS, 58
  - green corridors, 37–8
  - height of vehicles, 43
  - Innovation and Networks
    - Executive Agency, 38
  - intermodal transport, 218–19
  - Marco Polo programme, 38, 167, 168
  - mode shift programmes, 37–8
  - policies, 58
  - Roadmap to a Single European Transit Area, 218–19
  - START, 58
  - Technical Specifications for Interoperability (TSI), 39
  - TEN-T, 37–8, 58
  - Twin Hub project, 227–31, 241
  - Waste Directives, 57, 154
- EVs *see* Electric vehicles
- Fossil fuels
  - climate change and, 4, 5
  - economic growth and, 4
  - methane, 51
  - Renewable Transport Fuels
    - Obligation, 51
    - use, 1, 3, 4
- Four As (4As) of sustainable logistics, xvi–xxiv
  - acting and shifting, xx–xxii, 117, 119, 120, 125–7
  - anticipation, xxii–xxiii, 118, 119, 120, 125–7
  - avoidance, xviii–xx, 117, 119, 120, 125–7
  - awareness, xvi–xviii, 117, 119, 125–7
  - hierarchic dashboard, xix, 114, 116, 121, 123–5, 129–32
  - supply chain management, 119–20, 125–7, 131
  - urban logistics pooling, 113, 117, 118–21, 125–7, 131
- Freight Best Practice, 38, 41, 44, 47, 52, 56

- Freight modal split *see* Modal split
- Freight trams *see* Cargo trams
- Freight Transport Association (FTA), 41
- Logistics Carbon Reduction Scheme (LCRS), 52, 54
- Freight transport intensity
- definition, 10
- FreightArranger, 39
- Fuel efficiency, 8, 47, 48, 55–6
- automatic tyre inflation, 48
- driver training, 6, 9, 53–4, 55
- fuel intensity improvements, 43, 47, 49, 55
- fuel usage monitoring, 55
- ships, 49
- speed limiters, 48
- waste heat recovery, 8, 49–50
- Fuel tax, 23
- Gas filled vehicles
- liquid petroleum gas (LPG), 51
- natural gas (NG), 5, 9, 51, 52
- Germany
- cargo trams, xxi, 249–51
- intermodal shift, 167
- GIFTS, 58
- Global Intermodal Freight Transport System (GIFTS), 58
- Global population increase, 3–4
- Globalisation, xiii, 33, 45, 166
- Government policies, 58
- EFVs, 275–6, 280–1
- see also* Policy instruments
- Green Cargo, 205, 206
- Green corridors, 37–8
- Green Freight Europe, xvii, 55
- Green growth, 14
- Green image
- retail chains, 85, 87–8, 96, 98–9, 100, 101, 102–4
- Green logistics, xiii, 2, 251
- retail chains *see* Green retail chains
- sustainable logistics
- distinguished, xiii
- Green retail chains, xviii, 83–109
- air emissions, 90–1
- CO<sub>2</sub> emissions, 90–1
- CSR reporting, 84, 85, 87, 88, 89, 93, 94, 96, 100, 102, 103
- empirical study, 95–107
- energy use, 90
- fill rate/loading factors, 90
- green image, 85, 87–8, 96, 98–9, 100, 101, 102–4
- green logistics actions, 83, 85, 86, 88–9, 91, 96, 99, 100, 101–2, 104–5
- green logistics contracts, 85, 92–3, 97–8, 99, 100, 106
- green logistics measurements, 89–91, 97, 99, 100, 102, 105–6
- greenwashing, 84, 85–6, 98, 101, 107, 108
- literature review, 86–93
- management of transport
- resources, 97, 99, 100, 102, 104–5
- physical structure of logistics
- system, 96, 99, 100, 101, 104
- scheduling of freight flows, 96–7, 99, 100, 101, 104
- technology, 90
- Greenenergy, 51–2
- Greenhouse gas emissions, 1, 2, 12, 33–4

- criteria pollutants, 64–6, 67, 79, 80
- delivery services and, 63–80
- direct, 32
- indirect, 32–3
- mitigation *see* Mitigation measures
- passenger transport, 4
- reduction targets, 3
- reporting, 54
- SCOPE 1 emissions, 32, 33, 54
- SCOPE 2 emissions, 32, 54
- SCOPE 3 emissions, 33
- VMT and pollutants, 63–80
- warehouse location, 66, 67, 71, 73
- see also* CO<sub>2</sub> emissions
- Greenwashing, 84, 85–6, 98, 101, 107, 108
- Grocery delivery services *see* Delivery services
  
- High-cube vehicles, 42, 43, 49
- Hoek Transport, 282, 283
- Horizontal collaboration, xix, 115–16, 121
- Howard Tenens, 52
- Hungary
  - rail transport, 39
- Hybrid engines, 52
- Hydrogen vehicles, 4, 9, 51
  
- ICT (Information and Computer Technology), xix, 235
  - vehicle routing, 44–5
- IKEA, xviii, 45
- Image *see* Green image
- Inland waterways, xx
  - Belgium, 231–4
  - break-even distances, xxi, 231–4, 235, 236, 237
  - see also* Barges
- Innovations and Networks Agency, 38
- Intergovernmental Panel on Climate Change (IPCC), 3
- Intermodal transport, 11, 37
  - break-even distances, xxi, 217–41
  - brokerage and tracking system, 39
  - business models, xx-xxi, 193–214
  - contracts, 206–7
  - Coop, 201–12
  - customer interface, 203–5
  - economies of scale, 221–2
  - European Modular System, 37
  - European Union, 218–19
  - infrastructure management, 205–7
  - own-account model *see* Own-account business model
  - road-rail transport, 193–214
  - sychromodality/synchronized multimodality, 11
  - Volvo, 201, 202–12
- International Green House Gas Protocol Initiative (2001), 32–3
- Ireland
  - empty running, 41
  
- John Lewis, 42, 43
  
- KNEG, xvii
- Kyoto Protocol, 5, 117, 132, 271
  
- Last-mile passenger vehicles, xvii-xviii, 68, 69, 73–4, 75–80

- Latvia
  - road transport, 37
- Lean and Green programme, xvi, 16
- Less-than-full truck loads (LTL), 38
- Life-cycle assessment, 42, 147, 154
- Liquid petroleum gas (LPG), 51
- Lithuania
  - road transport, 37
- Load consolidation/
  - deconsolidation, 45–6
- Load factor, xix
  - barges, 237
- Location Analysis Model for
  - Belgian Intermodal Terminals (LAMBIT), 228, 231–4
- Logistics Carbon Reduction Scheme (LCRS), 52, 54
- Low-loaders/liners, 37, 49
  
- Maersk Line, 49–50
- Management issues, 55–6
- Marco Polo programme, 38, 167, 168
- Marks and Spencer, 47
- Methane *see* Natural gas
- Mitigation measures, 6, 7–12, 31–59
  - alternative fuels *see* Alternative fuels
  - biofuels, 4, 9, 12, 50–1, 52
  - bundling *see* Bundling
  - cap & trade system, 23–4
  - cost-effectiveness, 1–2, 6, 12–18, 21, 24, 25, 26, 27
  - driver training, 6, 9, 42, 53–4, 55
  - e-commerce, 57, 66
  - electric vehicles *see* Electric vehicles
  - emissions trading, 18, 23–4, 58
  - environmental reporting, 54–5
  - EU policies, 58
  - freight modal split, 10–11
  - fuel efficient driving, 6, 9, 53–4
  - fuel tax, 23
  - government policies, 58
  - ICT, 44–5
  - intermodal transport, 37
  - load factor, xix
  - logistical options, 10–11
  - long haul logistics, 31–59
  - management issues, 55–6
  - modal shift and, 10–11, 18–19
  - modal split, 35–40
  - operational options, 7, 9–10
  - options, 7–12
  - reverse logistics, 56–7
  - supply chain structure, 45–6
  - technology *see* Alternative fuels; Vehicle technology
  - vehicle utilisation *see* Vehicle utilisation
- Modal shift
  - benefits, 167
  - CO<sub>2</sub> emissions and, 10–11, 18–19
  - flexibility issues, 40
  - government policies, 58
  - interoperability, 39–40
  - major EU mode shift programmes, 37–8
  - New Zealand, xx, 165–91
  - rank-ordered logit (ROL)
    - model, 165, 168, 169–70, 181–9



- revealed preference (RP) survey,
  - 165, 168–9, 171, 176, 181, 190
- shipping sector, 38–9
- transport time, xx
- Modal split, 35–40
  - CO<sub>2</sub> emissions reduction, 10–11
  - efficiency of vehicle routing, 43–5
  - efficiency of vehicle usage, 40–3
  - environmental credentials, 35–6
  - major EU mode shift programmes, 37–8
  - rail *see* Rail transport
  - ships *see* Ships
  - use of modes, 36–7
- Mode choice
  - New Zealand, xx, 165–91
  - rank-ordered logit (ROL) model, 165, 168, 169–70, 175–81
- Mode shift *see* Modal shift
- MOVES model, 70, 72
- Natural and Biogas Vehicle Association (NGVA), 52
- Natural gas (NG), 5, 9, 51, 52
  - compressed NG (CNG), 51, 52
  - conversion kit, 52
  - dual fuel vehicles, 9, 51, 52
- Netherlands
  - cargo trams, 249–51
  - Cargohopper, 277, 282–4
  - Lean and Green programme, xvi, 16
  - printing on demand, 10
- New Zealand, xx, 165–91
- Night-time deliveries, xxi–xxii, 251–2
  - cargo trams, 259
- NOx emissions, 63–80
  - see also* Greenhouse gas emissions
- Oil
  - prices, 4
  - shale gas and oil, 5
  - shortages, 4, 5, 298
- Operations management, 54
- Osterwalder's business model, 193, 197, 198–207, 208–9
- Own-account transport business model, xxi, 129, 193, 195, 198–9, 201–14
- P400 megatrailers, 39
- Packaging, xix–xx, 137–60
  - case selection, 143–4
  - cross-functionality of process, 142, 152–5, 157–8
  - data analysis procedure, 146
  - data collection, 144
  - design, 10
  - eco-efficiency, 139, 140–1
  - environmental efforts, 143, 147, 154–5
  - external supply chain actors, 142, 155–6, 158
  - life-cycle assessment, 147, 154
  - logistical conditions, 142–3, 147, 148, 152, 155
  - packaging requirements, 142, 146–7, 148, 150–1, 152, 154, 155–6
  - packaging system levels, 141–2, 151–2, 156–7

- product characteristics, 142, 146, 148, 149–50, 151–2
- product development and, 141, 149–51, 156
- recycling, 99, 100
- supply chain integration (SCI), 140–1
- Paris
  - cargo trams, 249–51
  - intermodal shift, 167
  - SEVs, 300
  - urban logistics pooling, 129
- Passenger transport
  - alternative fuels, 4
  - avoidance, xviii
  - emissions, 4, 66
  - EVs, 284
  - last-mile passenger vehicles, xvii–xviii, 68, 69, 73–4, 75–80
  - replacing with delivery services, 63–80
  - trams, 249, 251, 255, 257, 260
- Piggybacking, 39
- PM10, 63–80
  - see also* Greenhouse gas emissions
- Poland
  - IKEA, 45
  - rail transport, 228–31
  - road transport, 37
  - Twin Hub project, 227–31
- Policy instruments, 14, 20–4
  - cap & trade system for CO<sub>2</sub> emissions, 23–4
  - carbon footprinting, 21
  - CO<sub>2</sub> legislation for vehicles, 22
  - CO<sub>2</sub>-tax on fuels, 23
  - demonstration projects, 22
  - EFVs, 275–6, 280–1
  - European Union, 58
  - internalising external costs by means of taxation, 22–3
  - modal shift, 58
  - pilots, 22
  - standardized testing and evaluation procedures, 22
- Pooled distribution *see* Urban logistics pooling
- Population increase, 3–4
- Porter hypothesis, 14
- Portugal
  - SEVs, 300–13
- Printing on demand, 10
- Procter & Gamble, xix
- Rail transport, xx, 33, 34, 36
  - aerodynamics, 48
  - barriers to rail use, 39–40
  - biofuels, 53
  - break-even distances, xxi, 227–31
  - cargo trams, xxi, 245–61
  - containerisation and, 37, 39
  - decline in use, 37
  - developments in, 38–9
  - diesel locomotives, 48
  - eco-driving, 54
  - electric trains, 48, 51, 53
  - European Union, 34
  - flexibility issues, 40
  - fuel intensity, 49
  - Fuel Quality Directive, 53
  - handling technology, 49
  - intermodal road-rail transport, 193–214
  - international transport, 34
  - interoperability, 39–40, 49
  - less-than-full truck loads (LTL), 38
  - loading gauges, 39

- low-deck rolling stock, 39
- modal shift, 39–40
- P400 megatrailers, 39
- piggybacking, 39
- regenerative braking, 53
- rolling roads, 39
- semi-trailers, 37, 39, 49
- service-related problems, 40
- ships and, 38–9
- size of trains, 42, 49
- sulphur emissions, 53
- trams *see* Cargo trams; Trams
- urban light rail, 245–61
- vehicle size/type, 42, 49
- vehicle technology, 48–9
- vehicle utilisation *see* Vehicle utilisation
- see also* Trains
- Rank-ordered logit (ROL) model, 165, 168, 169–70
- mode choice, 175–81
- mode shift, 181–9
- Rapeseed, 52
- Recycling, 10, 48, 57
- packaging, 99, 100
- see also* Reverse logistics
- Regional warehouse truck delivery, 68, 69, 75–80
- Renewable Transport Fuels Obligation (RFTO), 51
- Retail chains *see* Green retail chains
- Returnloads.net, 44
- Revealed preference (RP) survey, 165, 168–9, 171, 176, 181, 190
- Reverse logistics, 10, 56–7, 87, 117, 139
- Road transport, 36, 37
- aerodynamics, 8–9, 47, 48, 55
- alternative fuels *see* Alternative fuels
- backloads, 41–2, 43–4
- delivery services *see* Delivery services
- double-decker trailers, 42–3
- gas filled vehicles, 5, 9, 51, 52
- intermodal road-rail transport, 193–214
- speed limiters, 48
- tare weights, 47, 48
- tyres, 48, 55
- vehicle routing, 43–5
- vehicle size/type, 42
- vehicle technology, 46–8
- vehicle utilisation *see* Vehicle utilisation
- VMT and pollutants, 63–80
- Roadmap to a Single European Transit Area, 218–19
- Rolling roads, 39
- Routing *see* Vehicle routing
- Sainsburys, 44
- Scheduling, 43
- see also* Vehicle routing
- Sea and coastal freight *see* Ships
- SECAs (sulphur emission control areas), 52
- Semi-trailers, 37, 39
- low-loaders/liners, 37, 49
- piggybacking, 39
- size, 42
- SEVs *see* Small electric vehicles
- Shale gas and oil, 5
- Ships
- cold ironing, 50
- efficiency of vehicle usage, 40–3
- engine efficiency, 49
- filters, 50

- fuel efficiency, 49
- hull design and performance, 50
- kites, 49
- propellers, 50
- rail transport and, 38–9
- rudders, 50
- sails, 49
- scrubbers, 50
- sea and coastal freight, 167
- shore-based power, 50
- size, 42
- slow steaming, 49
- sulphur emissions, 52, 53
- vehicle technology, 49–50
- vehicle utilisation *see* Vehicle utilisation
- waste heat recovery, 49–50
- Short Term Actions to Reorganize Transport of Goods (START), 58
- Slovakia
  - road transport, 37
- Slovenia
  - road transport, 37
- Small electric vehicles (SEVs), xxiii, 295–313
  - advantages, 297–8, 299–300
  - battery issue, 311, 312
  - definition, 297
  - external costs, 306–10
  - operational performance, 306–10
  - purchase costs, 310
  - stakeholder perspectives, 310–11, 312
  - state of the art, 298–300
  - traffic performance, 304–6 *see also* Electric vehicles
- SmartWay, xvi, 55
- Sourcing practices, 10
- Spain
  - SEVs, 300
- Speed limiters, 48
- START, 58
- Streamlining, 47, 48
- Sulphur emissions
  - rail transport, 53
  - SECAs (sulphur emission control areas), 52
  - ships, 52, 53
- Supply chain integration (SCI), 140–1
- Supply chains
  - 4As approach, 113, 117, 118–21, 125–7, 131
  - CO<sub>2</sub> emissions reductions, 6–7, 10–11
  - contract logistics, 46
  - ELAbestlog, 38, 58
  - integration (SCI), 140–1
  - large logistics companies, 46
  - level of integration, 46
  - load consolidation/ deconsolidation, 45–6
  - manufacturing location, 45
  - packaging, xix–xx, 137–60
  - performance measurement, 118–21
  - structure, 45–6
  - urban logistics pooling, xix, xx, 113–32
  - warehouse location, 45
- Sustainable development, 85, 95, 116–18, 297
- Sustainable logistics, xiii–xiv
  - fostering, xiv–xvi
  - four As *see* Four As of sustainable logistics
  - framework, xiv
  - green logistics distinguished, xiii

- measures, xv
- transition process, 25–6
- value of, 18–19
- Sustainable performance
  - measurement, 118–21
- Swap-body containers, 37, 39, 49
- Sweden
  - business models for intermodal transport, xx-xxi, 193–214
  - green retail chains, xviii, 83–109
  - KNEG, xvii
- Switzerland
  - Cargo Domizil, 38
  - cargo trams, 249–51
  - rail transport, 38, 39, 228–31
  - Twin Hub project, 227–31
- Synchromodality/synchronized multimodality, 11
- Tar sands, 5
- Tare weights, 47, 48
- Teardrop trailers, 9, 47
- Technology *see* Alternative fuels; Vehicle technology
- TEN-T, 37–8, 58
- Tesco, 51–2, 55
- Trains *see* Rail transport
- Trams
  - cargo trams *see* Cargo trams
  - passenger transport, 249, 251, 255, 257, 260
- Trans-European Network (TEN-T), 37–8, 58
- TransMission, 282, 283
- Tupperware, xix
- Twin Hub project, 227–31, 241
- Tyres, 48
  - maintenance, 48
  - pressures, 48, 55
- United Kingdom
  - biofuels, 51
  - efficiency of vehicle usage, 41
  - empty running, 41–2
  - food supply chain, 41
  - Freight Best Practice, 38, 41, 44, 47, 52, 56
  - FreightArranger, 39
  - rail transport, 37, 38, 39, 53
  - Renewable Transport Fuels Obligation, 51
  - road transport, 41
  - SEVs, 300
- United States
  - greenhouse gas emissions, 64, 65, 70
  - night-time deliveries, xxi
  - rail transport, 34
  - SmartWay, xvi, 55
  - VMT and pollutants, 63–80
- Urban consolidation centres, 67, 113, 286, 300, 312
- Urban distribution centres, 67, 260
- Urban light rail, 245–61
  - see also* Cargo trams; Trams
- Urban logistics pooling, xix, xx, 113–32
  - 4As approach, 113, 117, 118–21, 125–7, 131
  - assessing sustainability, 113–32
  - group decision support, 113, 116, 121–5, 131
  - hierarchic dashboard, xix, 114, 116, 121, 123–5, 129–32
  - horizontal collaboration, xix, 115–16, 121
  - key performance indicators (KPI), 118–21, 125–7
  - longitudinal collaboration, 115

- sustainable development, 116–18
- sustainable performance measurement, 118–21
- VECTO tool, 19
- Vehicle miles travelled (VMT)
  - pollutants and, 63–80
- Vehicle routing, 43–5
  - backloads, 43–4
  - ICT, 44–5
- Vehicle technology, xxii–xxiii, 6, 7, 8–9, 46–53
  - aerodynamics, 8–9, 47, 48, 55
  - barges, 49–50
  - cab streamlining, 47
  - CO<sub>2</sub> emissions reduction, 6, 7, 8–9, 19–20, 21
  - complete vehicle approach, 21
  - engine technology, 8
  - fuel intensity improvements, 43, 47, 49, 55
  - lighter weight metals, 48
  - objective and reliable information, 19–20
  - ships, 49–50
  - speed limiters, 48
  - streamlining, 47, 48
  - tare weights, 47, 48
  - teardrop trailers, 9, 47
  - tractor/trailer integration, 47
  - trains, 48–9
  - transmissions and drivetrains, 8
  - trucks, 46–8
  - tyres, 48, 55
  - vehicle body, 8–9
  - waste heat recovery, 8, 49–50
- Vehicle utilisation
  - backloads, 41–2, 43–4
  - bundling *see* Bundling
  - collaboration, xix, 115–16, 121
  - down time, 42
  - efficiency, 40–3
  - empty running, 11, 41–2, 90
  - improving, 41–2
  - maximising payload, 41
  - road transport, 11
  - vehicle size/type, 42
- Vienna
  - cargo trams, 249–51
- Volvo, 51
  - intermodal transport, 201, 202–12
- Walmart, 56
- Warehouse location, 45, 66, 67, 71, 73
  - regional warehouse truck delivery, 68, 69, 75–80
- Wärtsilä, 50
- Waste
  - EU Directives, 57, 154
  - recycling, 10, 48, 57, 99, 100
  - reverse logistics, 10, 56–7, 87, 117, 139
  - second-generation biofuels, 50–1, 52
- Waste heat recovery, 8
  - ships, 49–50
- Waterways *see* Inland waterways
- Wincanton Transport, 42
- World Economic Forum (WEF), 8, 139
- Zurich
  - cargo trams, 249–51